

# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be  
a) a guide for reporting for authors of RCTs,  
b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

\*Required

**Your name \***

First Last

Mark Orme

**Primary Affiliation (short), City, Country \***

University of Toronto, Toronto, Canada

Centre for Exercise and Reha

**Your e-mail address \***[abc@gmail.com](mailto:abc@gmail.com)

mark.orme@uhl-tr.nhs.uk

**Title of your manuscript \***

Provide the (draft) title of your manuscript.

Findings of a randomised controlled feasibility trial to reduce sedentary time using wearable and mobile technologies with educational support: Chronic Obstructive Pulmonary Disease-Sitting and Exacerbations Trial (COPD-SEAT)

**Article Preparation Status/Stage \***

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- Other:

**Journal \***

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)
- Other:

**Manuscript tracking number \***

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- no ms number (yet) / not (yet) submitted to / published in JMIR
- Other:

**TITLE AND ABSTRACT****1a) TITLE: Identification as a randomized trial in the title****1a) Does your paper address CONSORT item 1a? \***

Does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

yes

Other:

### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"wearable and mobile technologies"

### 1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"educational support"

### 1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")

Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1a-iii? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Chronic Obstructive Pulmonary Disease"

## 1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

### 1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1b-i? \*

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"verbal and written information" "real-time feedback" "smart device application" "vibration prompts"

### 1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"face-to-face with a study researcher"

### 1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants were recruited and randomised in-hospital" "face-to-face with a study researcher" "Patients were shown how to use the technology by the same study researcher" "Patients and healthcare professionals involved in COPD exacerbation care were interviewed"

### 1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"111 patients were approached with 33 patients recruited" "Retention at two-week follow-up was 51.5%" "patients responded to 106 out of 325 vibration prompts" "41% of responses occurred within 5 minutes of the prompt with patients standing for 1.4±0.8 minutes and walking for 0.4±0.3 minutes (21±11 steps)"

### 1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"modifications are needed to improve participant retention"

## INTRODUCTION

### 2a) In INTRODUCTION: Scientific background and explanation of rationale

#### 2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 2a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"post-discharge pulmonary rehabilitation is sparsely taken up at the point of discharge" "One reason for this may be that increasing physical activity or exercise can be a daunting prospect" "Therefore, an intervention aiming to reduce patients' sedentary behaviour when they return home from hospital may be more relevant than exercise for some individuals with COPD" "no studies have specifically targeted sedentary behaviour" "aimed to examine the feasibility of the trial and acceptability of the intervention"

### 2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 2a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Haptic feedback provided as vibration prompts has been used successfully in a range of contexts, including sports coaching [11], gait and balance training for older adults [12], and learning new skills [13]. The use of vibration prompts in behaviour change interventions is gaining momentum and has been found to be an acceptable approach to reducing sitting time in sedentary men"

## 2b) In INTRODUCTION: Specific objectives or hypotheses

#### Does your paper address CONSORT subitem 2b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"aimed to examine the feasibility of the trial and acceptability of the intervention to reduce sedentary behaviour at home in patients with COPD following hospitalisation for an acute exacerbation. Furthermore, we interviewed patients and healthcare professionals involved in COPD exacerbation care to understand their perspectives of reducing patients' sedentary behaviour in this context"

## METHODS

### 3a) Description of trial design (such as parallel, factorial) including allocation ratio

#### Does your paper address CONSORT subitem 3a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"three-armed feasibility randomised controlled trial lasting two weeks following discharge from hospital, with 1:1:1 allocation"

## 3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

### Does your paper address CONSORT subitem 3b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No important changes to the study were made after trial commencement.

### 3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No changes to the inclinometer, smart devices or smart device application were made during the study.

## 4a) Eligibility criteria for participants

### Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Inclusion criteria were: aged 40-85 years; confirmed COPD diagnosis as described in patient notes; confirmed acute exacerbation of COPD as the reason for hospitalisation; fewer than four exacerbations requiring emergency admission to hospital in the previous year and deemed by the COPD Specialist Nurses to be physically able to participate in light intensity physical activity"

#### 4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Due to the feasibility nature of the study and specific clinical population targeted, no criteria for computer/internet literacy was incorporated into the eligibility criteria.

#### 4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Individuals admitted to Glenfield Hospital (Leicester, UK), between February and June 2016, were screened for eligibility by COPD Specialist Nurses" "Patients were invited to take part during their hospital stay, face-to-face by a study researcher" "Study interventions were delivered in-hospital (face-to-face) by a researcher"

#### 4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also

item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients were invited to take part during their hospital stay, face-to-face by a study researcher (MO), after being seen by a COPD Specialist Nurse as part of usual care"

## 4b) Settings and locations where the data were collected

#### Does your paper address CONSORT subitem 4b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Individuals admitted to Glenfield Hospital (Leicester, UK)"

#### 4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4b-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All questionnaires were "self-reported" and paper-based

#### 4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Institutional affiliations were presented as logos on study documents.

## 5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

#### 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Education group received verbal and written information about reducing sedentary behaviour in the form of a booklet entitled 'Sit Less, Move More, Live Healthier'; adapted for COPD from 'On Your Feet to Earn Your Seat' [16,17]."

#### 5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"patients received haptic feedback (vibration prompts) from the inclinometer when they were sedentary for a prolonged period of time. This featured was modified from the original purpose of the device which was to vibrate when the user was in poor posture"

**5-iii) Revisions and updating**

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The development and content of the intervention components were frozen during the trial. "No changes to the education booklet, inclinometer or smart device application were made during the study"

**5-iv) Quality assurance methods**

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-iv?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Deliveries of the Education and Education+Feedback components of the intervention were audio recorded. Details of the intervention components (education booklet, application and vibration prompts) have been previously reported"

**5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used**

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-v?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Images of the inclinometer and application have been previously published (15). "patients received haptic feedback (vibration prompts) from the inclinometer when they were sedentary for a prolonged period of time." "The timings of the vibration prompts (e.g. after 30 minutes of sitting) were determined by the patient in-hospital. The setting of how long patients could be sedentary for before the prompt could not be altered after patients were discharged from hospital"

**5-vi) Digital preservation**

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, [webcitation.org](http://webcitation.org), and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-vi?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Images of the inclinometer and application have been previously published (15).

**5-vii) Access**

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-vii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants were not required to have access to the internet to take part and were not paid for taking part"

### 5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], "whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-viii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"real-time feedback on their step count, sitting, standing, lying down and sit-to-stand transitions via an inclinometer linked to a smart device application...patients received haptic feedback (vibration prompts) from the inclinometer when they were sedentary for a prolonged period of time."  
"The timings of the vibration prompts (e.g. after 30 minutes of sitting) were determined by the patient in-hospital." "Details of the intervention components...have been previously reported [15]"

### 5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The intervention was to be used ad libitum and no intended 'doses' were prescribed. "The timings of the vibration prompts were determined by the patient"

### 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Individuals admitted to Glenfield Hospital (Leicester, UK), between February and June 2016, were screened for eligibility by COPD Specialist Nurses" "Patients were invited to take part during their hospital stay, face-to-face by a study researcher (MO), after being seen by a COPD Specialist Nurse" "Study interventions were delivered in-hospital (face-to-face) by a researcher"

### 5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-xi? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients took part in the interventions for two weeks following discharge and were not prompted to engage with the intervention during that time."

### 5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 5-xii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All patients in the trial received the discharge bundle as part of usual care (Control condition). The care bundle comprised advice about doing regular exercise (no actual supervised exercise conducted with patients), attending pulmonary rehabilitation, medication advice, inhaler training, mobility physiotherapy input and in-hospital physical function discharge assessments"

## 6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

#### Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Trial feasibility was assessed through "Recruitment and retention", "Intervention fidelity", "Drop-out interviews", and "Healthcare professional interviews". Intervention acceptability was assessed through "Wear adherence, charging compliance and missing data", "Engagement with smart application", "Responses to vibration prompts", and "End of study interviews". Secondary outcomes were "Attendance at pulmonary rehabilitation", changes in health measures and "changes in physical activity and stationary time. Full details of how and when

#### 6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

No online questionnaires were used in the trial.

### 6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

"Patient engagement with the LUMO application was quantified using Flurry Analytics [20] which registered, offline, each swipe and tap performed by patients for the sitting time, stand-ups and step count panels." "Vibration prompt identification was based on periods of consecutive time spent sedentary as per patients' choice of vibration setting. After time-stamped vibration prompts were identified, the subsequent 15 minutes were analysed to examine whether patients responded to the vibration prompt and, if they did, how long it took and

### 6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

"Drop-out telephone interviews were conducted to explore reasons why patients did not attend the follow-up appointment" "Semi-structured interviews with doctors, COPD specialist nurses, ward nurses and physiotherapists were conducted to examine the perspectives of staff involved in the COPD care pathway and provided insights on suggestions for and the potential barriers of conducting a full-scale RCT" "Semi-structured interviews with patients in the intervention groups were conducted during the follow-up appointment"

## 6b) Any changes to trial outcomes after the trial commenced, with reasons

### Does your paper address CONSORT subitem 6b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no changes to trial outcomes after the trial commenced.

## 7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### 7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Due to the feasibility nature of the trial, no sample size calculation was conducted.

## 7b) When applicable, explanation of any interim analyses and stopping guidelines

### Does your paper address CONSORT subitem 7b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No interim analyses were conducted and recruitment was of a fixed duration between February and June 2016.

## 8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

**Does your paper address CONSORT subitem 8a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Block randomisation was conducted using sequentially numbered sealed envelopes by an individual independent of the research team"

## 8b) Type of randomisation; details of any restriction (such as blocking and block size)

**Does your paper address CONSORT subitem 8b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Block randomisation was conducted"

## 9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

**Does your paper address CONSORT subitem 9? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"randomisation was conducted using sequentially numbered sealed envelopes"

## 10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

**Does your paper address CONSORT subitem 10? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"by an individual independent of the research team" "Patients were invited to take part during their hospital stay, face-to-face by a study researcher"

## 11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

### 11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Owing to limited study team members and logistical barriers, researchers were made aware of group allocation prior to obtaining consent. Patients were informed of their group allocation after providing informed consent"

### 11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients were informed of their group allocation after providing informed consent" Participant information sheet provided to patients described each potential group/intervention allocation as part of the trial.

## 11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

### Does your paper address CONSORT subitem 11b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### Does your paper address CONSORT subitem 12a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Comparisons between groups and between patients who did or did not complete the study were performed using independent t-tests and analysis of variance. Categorical data was analysed using Chi-squared ( $n \geq 5$ ) or Fischer exact test ( $n < 5$ ). Analyses were conducted using SPSS version 22.0 for Windows (SPSS Inc., Chicago, IL) with alpha set to 0.05."

### 12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 12a-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No imputation techniques were used. Missing data were reported as part of the feasibility assessment.

## 12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

**Does your paper address CONSORT subitem 12b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Comparisons between groups and between patients who did or did not complete the study were performed using independent t-tests and analysis of variance"

## X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

**X26-i) Comment on ethics committee approval**

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem X26-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study was approved by Research Ethics Committee East Midlands Leicester Central and all participants provided written informed consent (15/EM/0433)."

**x26-ii) Outline informed consent procedures**

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent

documents.

1 2 3 4 5

subitem not at all important      essential**Does your paper address subitem X26-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients were invited to take part during their hospital stay, face-to-face by a study researcher (MO), after being seen by a COPD Specialist Nurse as part of usual care. Eligible patients were given a verbal description of the study, participant information sheet and expression of interest form. The researcher revisited patients at the bedside at an agreed time to collect the expression of interest. For patients wishing to take part in the study, written informed consent was obtained. The timing of these procedures varied based on expected discharge."

**X26-iii) Safety and security procedures**

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

1 2 3 4 5

subitem not at all important      essential**Does your paper address subitem X26-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Patients were provided with telephone contact details of the COPD Specialist Nurses."

**RESULTS****13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome**

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

**Does your paper address CONSORT subitem 13a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Of the 300 patients screened, 212 (70.7%) were eligible to take part in the study." "111 (52.4%) were approached to take part in the study with 35 (31.5%) consenting to participate. Two patients were identified as having early stage dementia, leaving 33 patients (11 Control, 10 Education and 12 Education+Feedback). Of these, 17 (51.5%; 6 Control, 3 Education and 8 Education+Feedback) attended the follow-up appointment. Rate of recruitment averaged 2.2 patients per week"

## 13b) For each group, losses and exclusions after randomisation, together with reasons

**Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The most cited reasons for ineligibility were: too severe comorbidities (36.4%), more than 4 exacerbations in the previous year (20.5%) and taking part in other research (14.8%). The most common reasons for not taking part in the study were: feeling too unwell or having too many health-related issues/commitments (40.0%) and considering themselves sufficiently active (12.9%). Two patients (2.4%) were put off by the activity monitors."

### 13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 13b-i?**

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participant flow through the trial is presented in Figure 2" Due to having one follow-up appointment and an offline intervention it was not possible to produce an attrition diagram.

## 14a) Dates defining the periods of recruitment and follow-up

**Does your paper address CONSORT subitem 14a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Individuals admitted to Glenfield Hospital (Leicester, UK), between February and June 2016"

#### 14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No critical secular events took place.

## 14b) Why the trial ended or was stopped (early)

#### Does your paper address CONSORT subitem 14b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The trial was not stopped early.

## 15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

#### Does your paper address CONSORT subitem 15? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The sample comprised mostly female (70%) retired (76%) former smokers (66%) who self-reported sitting for an average of 9.2±4.2 hours/day (Table 1)"

### 15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 15-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The majority (76%) of participants did not own a smart phone but did own a computer (61%). 30.1% of patients were classified as having abnormally high depression scores, 39.4% were classified as having abnormally higher anxiety scores and 81.8% of patients were classified as having severe fatigue"

## 16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

### 16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 16-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Three patients (25%) actively engaged with the LUMO app during the two-week follow-up." "Collectively for the 8 patients who completed the study, 325 vibration prompts occurred. Patients did not respond to 67% of the prompts. When patients did respond to the prompts, 40.6% responses occurred within five minutes of the prompt; with patients spending 1.4±0.8 minutes standing and 0.4±0.3 minutes walking, taking 21.2±11.0 steps (Figure 3)"

### 16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Intention to treat analysis was not suitable for the feasibility nature of the trial.

## 17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

### Does your paper address CONSORT subitem 17a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No formal statistical tests were conducted for intervention effectiveness due to the feasibility nature of the trial.

### 17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 17a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"One male patient used the app on day 1 to look at the sitting time summary (131 seconds), the stand-ups summary (3 seconds) and step count summary (6 seconds) and detailed step count information (8 seconds)." "The other two patients did not engage with the app beyond the use of the summary tile automatically on show when unlocking the smart device (unknown durations as no swipes or taps on the screen occurred)" "40.6% responses occurred within five minutes of the prompt; with patients spending 1.4±0.8 minutes standing and 0.4±0.3 minutes walking, taking 21.2±11.0 steps (Figure 3)"

**17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended****Does your paper address CONSORT subitem 17b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable due to the feasibility nature of the trial.

**18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory****Does your paper address CONSORT subitem 18? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable due to the feasibility nature of the trial.

**18-i) Subgroup analysis of comparing only users**

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 18-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Only study completers used the intervention, therefore "Collectively for the 8 patients who completed the study, 325 vibration prompts occurred. Patients did not respond to 67% of the prompts"

## 19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

**Does your paper address CONSORT subitem 19? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Two patients (6%; Education) were readmitted to hospital for at least one overnight stay for respiratory (n=1) and non-respiratory (n=1) issues. Whilst not considered an adverse event in the present study, four patients (12%; 1 Control, 3 Education+Feedback; withdrawn from the study) were readmitted for an acute exacerbation of COPD during the 2-week follow-up. No hospital admissions were study-related and no participants died during the trial"

**19-i) Include privacy breaches, technical problems**

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 19-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Twenty-one (95%) interventions were delivered as planned. One intervention (Education) was not delivered verbally due to the patient being discharged" "Two types of malfunction were reported; the smart device would not turn on which meant patients were unable to use the mobile application (the vibration prompt remained functional) and a delay in communication between the inclinometer and application."

**19-ii) Include qualitative feedback from participants or observations from staff/researchers**

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1 2 3 4 5

subitem not at all important      essential**Does your paper address subitem 19-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Full qualitative feedback is provided under the Results sub-headings "Reasons for patients dropping out of the study", "Views of healthcare professionals" and "Views of patients who completed the study"

## DISCUSSION

### 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

**22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)**

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

1 2 3 4 5

subitem not at all important      essential**Does your paper address subitem 22-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

reduce sedentary behaviour for individuals with COPD hospitalised for an acute exacerbation. Approximately one-third of patients offered the study took part and of these, around half attended their follow-up appointment at two weeks. Reasons for not deciding to take part were predominantly being too unwell or being readmitted. Patients responded to approximately one-third of the vibration prompts provided by the wearable technology of which ~40% occurred within five minutes; resulting in ~1.5 additional minutes standing, ~0.5 minutes of walking and ~21 extra steps per response"

**22-ii) Highlight unanswered new questions, suggest future research**

Highlight unanswered new questions, suggest future research.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 22-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Important areas for future work have been highlighted: (a) taking a pragmatic approach of offering behavioural interventions at multiple time points; (b) improving patient stratification to identify who may need more support during behaviour change interventions; (c) exploring alternative locations for objective physical activity and sedentary time intervention tools; and (d) haptic feedback using wearable technology in clinical populations."

## 20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

**20-i) Typical limitations in ehealth trials**

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 20-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

in secondary behaviour for individuals with COPD, testing such an intervention in the stable state will permit an easier assessment of efficacy compared to the acute state where patients will naturally recover. No further reinforcement to attend pulmonary rehabilitation was provided during patients' involvement in the trial and no extra support or training on the technology provided to patients once discharged. However, these limitations are due to the 'light-touch' design of study to better reflect what future implementation may look like. Assessor and patient blinding to group allocations was not

## 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

**21-i) Generalizability to other populations**

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 21-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information

not in the ms, or briefly explain why the item is not applicable/relevant for your study

comparable with early pulmonary rehabilitation (33.3% uptake) [31]. Present study uptake (31.5%) was also similar to that of a peri-exacerbation pulmonary rehabilitation study (32.3%) conducted in the same hospital [34] and the rate of recruitment was faster than a physical activity intervention using wearable technology (Fitbit Ultra) at a similar time point (average of 2.2 versus 0.6 patients per week) [35]. "Whilst the small sample size must be considered, the proportion of participants going on to attend pulmonary rehabilitation was similar to what would be expected (~14%)"

### 21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The RT took place in a routine application setting and was designed to be comparable to usual care delivery modalities.

## OTHER INFORMATION

### 23) Registration number and name of trial registry

#### Does your paper address CONSORT subitem 23? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"ISRCTN 13790881. Registration date: 30-Oct-2015. Enrolment of first participant date: 05-Feb-2016."

### 24) Where the full trial protocol can be accessed, if available

#### Does your paper address CONSORT subitem 24? \*

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

<http://bmjopen.bmj.com/content/6/10/e013014>

## 25) Sources of funding and other support (such as supply of drugs), role of funders

### Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The trial was funded by research facilitation funds from Loughborough University"

## X27) Conflicts of Interest (not a CONSORT item)

### X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The authors declare that they have no competing interests."

## About the CONSORT EHEALTH checklist

### As a result of using this checklist, did you make changes in your manuscript? \*

- yes, major changes  
 yes, minor changes  
 no

**What were the most important changes you made as a result of using this checklist?**

The checklist was originally used prior to initial submission. It was most beneficial for clarifying intervention details pertaining to the technology and adding more detail to the recruitment section of the Methods.

**How much time did you spend on going through the checklist INCLUDING making changes in your manuscript \***

2 hours

**As a result of using this checklist, do you think your manuscript has improved? \***

- yes  
 no

Other:

**Would you like to become involved in the CONSORT EHEALTH group?**

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- yes  
 no

Other:

**Any other comments or questions on CONSORT EHEALTH**

## STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

## Final step: Click submit !

Click submit so we have your answers in our database!

*Never submit passwords through Google Forms.*

Powered by

This content is neither created nor endorsed by Google.

[Report Abuse](#) - [Terms of Service](#) - [Additional Terms](#)